

ALITHEA
GENOMICS



MERCURIUS™

**BRB-seq Library Preparation kit
for 24, 96, 384 and 1536 samples**

PN 10812, 10813, 10814, 11013, 11014

User Guide

v.0.3.2. September 2022

FOR RESEARCH USE ONLY | ALITHEAGENOMICS.COM

Related Products

MERCURIUS Kits	Kit PN	Modules	
BRB-seq Library Preparation 24 kit	10812	Barcoded Oligo-dT Adapters Module 24 samples	10514
		Library Preparation and UDI Module 24 samples	10523
BRB-seq Library Preparation 96 kit	10813	Barcoded Oligo-dT Adapters Module 96 samples	10513
		Library Preparation and UDI Module 96 samples	10521
BRB-seq Library Preparation 384 kit	10814	Barcoded Oligo-dT Adapters Module 384 samples	10515
		Library Preparation and UDI Module 384 samples	10524
BRB-seq Library Preparation 384 (4x96) kit	11013	Barcoded Oligo-dT Adapters Module 4 x 96 samples	10513
		Library Preparation and UDI Module 4 x 96 samples	10525
BRB-seq Library Preparation 1536 (4x384) kit	11014	Barcoded Oligo-dT Adapters Module 4 x 384 samples	10515
		Library Preparation and UDI Module 4 x 384 samples	10526

Table of Contents

TABLE OF CONTENTS	2
KIT COMPONENTS	3
Reagents supplied	3
Additional required reagents and equipment (supplied by the user).....	4
PROTOCOL OVERVIEW AND TIMING	5
PROTOCOL WORKFLOW	6
PART 1. PREPARATION OF RNA SAMPLES	7
PART 2. LIBRARY PREPARATION PROTOCOL	8
2.1. Reverse transcription	8
2.2. Samples pooling and column purification.....	9
2.3. Free primer digestion	11
2.4. Second strand synthesis	12
2.5. Tagmentation	14
2.6. Library indexing and amplification.....	15
2.7. Library quality control	16
PART 3. LIBRARY SEQUENCING	18
PART 4. SEQUENCING DATA PROCESSING	19
4.1. OPTION 1: Cloud-based platform for data processing	19
4.2. OPTION 2: Manual data processing	19
4.2.1. Required software	19
4.2.2. Merging <i>fastq</i> files from individual lanes and/or libraries (Optional)	19
4.2.3. Sequencing data quality check	20
4.2.4. Preparing the reference genome	20
4.2.5. Aligning to the reference genome and generation of count matrices	21
4.2.6. Generating the count matrix from .mtx file	22
4.2.7. Demultiplexing bam files (Optional)	22
4.2.8. Generating the read count matrix with per-sample stats (Optional)	23
APPENDIX 1. ASSESSING THE KIT PERFORMANCE WITH IN-LINE CONTROL HUMAN RNA	24
APPENDIX 2. UNIQUE DUAL INDEXING ADAPTER SEQUENCES	26
APPENDIX 3. LIBRARY QUANTIFICATION WITH QPCR	27
CONTACT INFORMATION	28

Kit Components

Reagents supplied

Barcoded Oligo-dT Adapters Set V5A Module

Component Name	Label	Amount provided per kit					Storage
		24 samples (PN 10812)	96 samples (PN 10813)	384 samples (PN 10814)	4 x 96 samples (PN 11013)	4 x 384 samples (PN 11014)	
Plate with 24 barcoded oligo-dT primers, set V5A (PN 10514)	24 V5A OdT	1 plate	-	-	-	-	-20°C
Plate with 96 barcoded oligo-dT primers, set V5A (PN 10513)	96 V5A OdT	-	1 plate	-	4 plates	-	-20°C
Plate with 384 barcoded oligo-dT primers, set V5A (PN 10515)	384 V5A OdT	-	-	1 plate	-	4 plates	-20°C
Aluminium Seal	-	2 pc	2 pc	2 pc	8 pc	8 pc	-20°C/RT

Cell Lysate Library Preparation and UDI Module

Component Name	Label	Cap colour	Volume (µL)					Storage
			24 samples (PN 10523)	96 samples (PN 10521)	384 samples (PN 10524)	4 x 96 samples (PN 10525)	4 x 384 samples (PN 10526)	
First Strand (FS) Enzyme	FSE	magenta	15	45	170	170	4 x 170	-20°C
First Strand (FS) Buffer	FSB	magenta	200	550	1100	2 x 1100	4 x 1100	-20°C
Exonuclease I Enzyme	EXO	purple	10	10	10	10	10	-20°C
Exonuclease Buffer	EXB	purple	20	20	20	20	20	-20°C
Second Strand Enzyme	SSE	orange	20	20	20	20	20	-20°C
Second Strand Buffer	SSB	orange	45	45	45	45	45	-20°C
Tagmentation Enzyme	TE	red	10	10	10	10	10	-20°C
Tagmentation Buffer	TAB	red	40	40	40	40	40	-20°C
Library Amplification Mix	LAM	green	200	200	200	200	200	-20°C
Control Human RNA	Ctrl hRNA	blue	10	10	10	10	10	-20°C
UDI Adapter Mix 1	MQ.UDI.1	transparent	10	10	10	10	10	-20°C
UDI Adapter Mix 2	MQ.UDI.2	transparent	-	10	10	10	10	-20°C
UDI Adapter Mix 3	MQ.UDI.3	transparent	-	10	10	10	10	-20°C
UDI Adapter Mix 4	MQ.UDI.4	transparent	-	10	10	10	10	-20°C
Nuclease-Free Water	NFW	transparent	1800	1800	1800	1800	1800	-20°C

Additional required reagents and equipment (supplied by the user)

Plasticware	Manufacturer	Product number
15 mL conical tubes	Greiner	188271
0.2ml 8-Strip Non-Flex PCR Tubes	Starlab	I1402-3700
Zymo-Spin IIICG Columns (optional)	Zymo	C1006-50-G
25 mL reservoir for spin columns	Zymo	C1039-25
Disposable Pipetting Reservoir 25mL polystyrene	Integra	4382
Solution reservoir 150 mL polystyrene (optional)	Integra	6318

Reagent	Manufacturer	Product number
DNA Clean and Concentrator-5 kit	Zymo	D4014
SPRI AMPure Beads	Beckman Coulter	A63881
or		
CleanNA Beads	CleanNA	CNGS0050D
Qubit™ dsDNA HS Assay Kit	Invitrogen	Q32851
High Sensitivity NGS Fragment Analysis Kit	Agilent	DNF-474
SYBR Green	ThermoFisher	S7563
Ethanol, 200 proof	-	-

Equipment	Manufacturer	Product number
Benchtop centrifuge for plates	-	-
Benchtop centrifuge for 1.5 mL tubes	-	-
Single and Multichannel pipettes	-	-
Fragment Analyser / Bioanalyzer / TapeStation	Agilent	M5310AA
Qubit™	Invitrogen	Q33238
Magnetic stand for 0.2 mL tubes	Permagen	MSR812
12-channel pipette, 0.5-12.5 µL VIAFLO or similar	Integra	4631
12-channel pipette, 5-125 µL VIAFLO or similar	Integra	4632
8 Channel Adjustable Tip Spacing Pipette, VOYAGER, 2 – 50 µL	Integra	4726
Pipetboy	Integra	155 000
Vacuum manifold Qiagen Qiavac 24 Plus or similar	Qiagen	19413
Vacuum pump	-	-
Real-Time PCR Instrument (optional)	-	-
VIAFLO instrument (optional)	Integra	6001
VIAFLO 96/384 channel pipetting head, 0.5-12.5 µL (optional)	Integra	6101/6131

Protocol Overview and Timing

The MERCURIUS BRB-seq kit allows the preparation of Illumina compatible 3' RNA sequencing libraries for up to 96 RNA samples in a time and cost-efficient manner. The kit is provided in the following formats:

Kit format	PN	PCR plate format	Maximum number of samples in one pool	Maximum number of samples processable	Number of UDI Libraries
24-sample	10812	96WP	24	24	1
96-sample	10813	96WP	96	96	4
384-sample	10814	384WP	384	384	4
4x96-sample	11013	96WP	96	384	4
4x384-sample	11014	384WP	384	1536	4

Every kit contains barcoded MERCURIUS Oligo-dT primers that are designed to tag RNA samples with individual barcodes during the first strand synthesis reaction. This enables to subsequently pool the resulting cDNA samples from each experimental group into a single tube for streamlined sequencing library preparation. The 24-sample kit contains barcoded oligo-dT primers in the first three columns (1-3) of a 96-well plate.

The BRB-seq technology can be used to generate high-quality sequencing data starting with 10 - 1000 ng of total purified RNA per sample. However, for optimal results, the starting amount of 120 ng of total RNA and pooling of at least 8 barcodes is recommended. Importantly, the kit can be used to pool any number of samples (from 8 to 96) with two considerations:

- The total RNA amount per pool should be at least 1000 ng.
- Pooling less than 8 samples may result in low complexity reads during sequencing, decreasing the overall sequencing quality. If necessary, the latter can be improved by increasing the proportion of PhiX spike-in control during sequencing (see [Part 3](#)).

The library indexing is performed using a Unique Dual Indexing (UDI) strategy, which minimizes the risk of barcode misassignment after NGS. The kits contain four UDI adapters, besides the 24-sample kit that contains only one. Every adapter can be used to prepare an individual BRB-seq library. Libraries with different UDI adapters can be pooled and sequenced in a single flow cell.

Provided below is an estimation of the time required to accomplish each step of the protocol assuming that RNA samples have been previously quality checked and diluted.

Protocol Step	Time	Clock (estimated)	Notes
1. Reverse transcription			
a. RNA samples preparation	20 min	8 am	
b. RT mix preparation	5 min		
c. Incubation	60 min	8:30 am	50 min hands-on
d. Samples pooling	20 min		2h 30 min total
e. Reaction preparation	5 min		
f. Incubation	50 min	11 am	Safe stop +4°C
2. Second strand synthesis			
a. Reaction preparation	5 min		35 min hands-on
b. Incubation	50 min	12 pm	1h 30 min total
c. Beads clean-up	30 min		Safe stop -20°C
3. Tagmentation			
a. Reaction preparation	5 min	1:45 pm	35 min hands-on
b. Incubation	7 min		50 min total
c. Beads clean-up	30 min		
4. Library amplification			
a. Reaction preparation	5 min	2:35 pm	35 min hands-on
b. PCR	50 min		1h 25 min total
c. Beads clean-up	30 min		Safe stop -20°C
5. Library QC			
a. Qubit quantification	10 min	4 pm	10 min hands-on
b. Smear analysis	60 min	5:10 pm	1h 10 min total

Protocol Workflow




Figure 1 Schematic illustration of protocol workflow

Part 1. PREPARATION OF RNA SAMPLES

Guidelines for RNA samples

The BRB-seq protocol is based on early sample multiplexing, therefore it is critical to ensure the uniformity of RNA samples quantity, purity, and quality before starting the library preparation. Individual sample quality checks and adjustments will not be possible after pooling.

Quantity

The tested range of total RNA amount per well is 10 – 1000 ng. The recommended starting amount is 120 ng per well for the library prepared with at least 8 wells pooled after RT. Usually, the more RNA is used in the RT, the higher library complexity is observed after sequencing.

Purity

RNA samples extracted using Trizol, phenol, or chloroform compounds are prone to residual contamination with organic solvents that may inhibit reverse transcription reaction. This usually results in low cDNA library yields, loss of sequencing reads for a fraction of pooled samples and disequibrated distribution of reads. To ensure the high purity of RNA assess the 260/230 ratio of at least some samples from the same RNA isolation batch using a spectrophotometer (i.e., Nanodrop). The 260/230 ratio values should be >1.5.

Uniformity

To ensure an even distribution of reads after sequencing, the RNA amount, integrity (RIN number) and 260/230 values of the starting RNA samples must be as uniform as possible, i.e., 50 ng ($\pm 10\%$) of starting material with RIN = 6 for every sample. To obtain such uniform amounts, we, therefore, recommend to:

- Measure the RNA concentration of all samples with a dye-based method (e.g., Qubit Quant-iT or RiboGreen for large number of samples).
- Dilute samples to obtain the same RNA concentration in all wells ($\pm 10\%$).
- Re-measure the RNA concentration of all samples to confirm uniform concentrations across the samples.
- Ensure the 260/230 ratios are >1.5 and similar across the samples.
- Ensure the RIN values are similar across the samples and preferably > 6.

Contact info@alitheagenomics.com for technical support.

Part 2. LIBRARY PREPARATION PROTOCOL

2.1. Reverse transcription

At this step, each individual RNA sample is reverse-transcribed using barcoded oligo-dT primers provided in 96-well (96WP) or 384-well (384WP) formats depending on the kit type. Subsequently, all barcoded samples can be pooled in one tube. If you would like to include the Control RNA sample to assess the library preparation process at each step, see Appendix 1 for the details.

Preparation

- Set the thermocycler to 65°C on hold.
- Thaw the RNA samples on ice.
- Thaw the **FSB** reagent at room temperature and mix well before use.
- Briefly spin down the 96WP or 384WP plate containing dried oligo-dT primers. This plate will be referred as **RT** plate.
- Prepare the Program 1_RT on the thermocycler (set the lid at 90°C):

Step	Temperature, °C	Time
Incubation	42	50 min
Inactivation	65	10 min
Keep	4	pause

NOTE: All the manipulations with RNA and RT enzyme should be performed on ice and using gloves.

Procedure for 96WP and 384WP

- 2.1.1. Keep the **RT** plate on ice and using a multichannel pipette transfer the following volume of purified RNA directly to the corresponding wells and pipette 3-5 times to ensure proper reconstitution of dried oligo-dT:
 - **96WP:** 10 µL.
 - **384WP:** 7 µL.
- 2.1.2. Carefully re-seal the **RT** plate and briefly spin it in the centrifuge.
- 2.1.3. Leave a plate on ice for 5 min.
- 2.1.4. Prepare the Master Mix for RT reaction (+10%) as follows:

Reagent	96WP			384WP			
	Per well (µL)	24 wells +10% (µL)	96 wells +10% (µL)	_____ wells	Per well (µL)	384 wells +10% (µL)	_____ wells
FSB	5.0	132.0	528.0		2.6	1100.0	
FSE	0.4	10.6	42.2		0.4	169.0	
NFW	4.6	121.4	485.8		-	-	
TOTAL	10.0	264.0	1056.0		3.0	1269.0	

- 2.1.5. Keep the **RT** plate on ice and using a multichannel pipette transfer the following volume of Master Mix to each well containing the RNA sample:
 - **96WP:** 10 µL.
 - **384WP:** 3 µL.
- 2.1.6. Carefully re-seal the **RT** plate and briefly spin it in the centrifuge.
- 2.1.7. Transfer the plate to the thermocycler and start the Program 1_RT.

Safe stop: After this step, the **RT** plate can be kept at 4°C overnight.

2.2. Samples pooling and column purification

At this step, the barcoded RT samples are pooled and purified using Zymo Clean & Concentration Kit (Zymo, D4014). Using a high-capacity Zymo-Spin IICG column (Zymo, C1006-50-G) is required for purifying large volumes, resulting for 384 samples pooling.

After the cDNA from each well is pooled in a reservoir, it is mixed with a 7x volume of DNA binding buffer (Zymo, D4004-1-L). We strongly recommend using a vacuum manifold for the cDNA purification to avoid column membrane damage due to multiple centrifugation rounds. A bench-top centrifuge can be used in case of pooling 24 samples or less.

NOTE: Library normalization

At this point, the volume used for pooling from each well can be adjusted to re-equilibrate the proportion of samples in the pool. This may be required to improve the distribution of sequencing reads in the library specifically if some samples are obtaining too many reads.

Shallow sequencing allows to unequivocally assess the coverage per sample. For this approach, we recommend pooling only a fraction of RT volume from each well (i.e., 5 μ L out of 20 μ L) for the library preparation. After the library QC by sequencing (see section 2.7) the volume used for pooling can be re-adjusted to reduce the variation at the sequencing stage.

				For 24 wells	For 96 wells	For 384 wells
Recommended pipetting strategy		-	-	multichannel pipette	multichannel pipette or pipetting robot	pipetting robot
Plasticware						
Pooling reservoir type		-	-	25 mL (Integra #4382)	150 mL (Integra #6318)	150 mL (Integra #6318)
Zymo-Spin column type		-	-	I (#D4014)	I (#D4014)	IICG (C1006-50-G)
Pooling volumes						
	Plate format	Per well (μL)		For 24 wells	For 96 wells	For 384 wells
First strand cDNA (mL)	96WP	20		0.48	1.92	-
	384WP	10		-	-	3.84
DNA Binding Buffer (mL)	96WP	140		3.36	13.44	-
	384WP	70		-	-	26.88
TOTAL (mL)	96WP	140				
	384WP	70		3.84	15.36	30.72

Table 1 Overview of the recommended pipetting strategy, plasticware and reagents volumes to be used depending on the number of samples pooled.

Preparation

- Make sure Zymo DNA Wash buffer has Ethanol added.

Procedure of cDNA purification with vacuum manifold (>24 samples)

- 2.2.1. According to the [Table 1](#), use a multichannel pipette, or pipetting robot, to transfer the entire RT volume (20 μ L for 96WP, 10 μ L for 384WP) of each sample into a specified reservoir.
- 2.2.2. Mix the pool well, and transfer it to the falcon tube with a pipette.
- 2.2.3. Add a volume of 7x DNA Binding buffer according to the combined volume of the RT ([Table 1](#)).
- 2.2.4. Connect the 25 mL funnel (Zymo, C1039-25) to a Zymo column suitable for purification volume ([Table 1](#)) and place it on a vacuum manifold.
- 2.2.5. Gently mix the cDNA in a binding buffer mixture in reservoir and, using a pipetboy, transfer it to 25 ml funnel.

- 2.2.6. Turn on the vacuum pump and let the liquid pass through the column.
- 2.2.7. Transfer any remaining volume to the funnel, do not let membrane to overdry.
- 2.2.8. After the entire pool mix passes through the column, add 200 μ L of DNA Wash buffer (with Ethanol added) directly to the membrane of the column.
- 2.2.9. Repeat step 2.2.8 once a wash buffer passes through a filter.
- 2.2.10. Remove a column from a vacuum manifold, put it in a 1.5ml tube, and centrifuge for 1 min to remove leftovers from the washing buffer.
- 2.2.11. Depending on the Zymo-Spin column type used perform the following:
 - For type I column used with \leq 96 samples (**96WP**) add 20 μ L of NFW to the column matrix, and incubate for 1 min.
 - For type IIIICG column used with 384 samples (**384WP**) add 38 μ L of NFW to the column matrix, and incubate for 1 min.
- 2.2.12. Transfer the column into a new labelled 1.5 mL tube and centrifuge 30 sec.
- 2.2.13. Immediately proceed to step 2.3.

Procedure of cDNA purification with centrifuge (\leq 24 samples)

Follow the protocol provided in Zymo Clean & Concentration Kit (Zymo, D4014). After cDNA elution in 20 μ L immediately proceed to step 2.3.

2.3. Free primer digestion

It is recommended to perform the non-incorporated primer digestion immediately after pooling.

Preparation

- Label 0.2 mL PCR tubes corresponding to the number of pools prepared.
- Thaw **EXB** at room temperature.
- Keep **EXO** on ice.
- Prepare the **Program 2_FPD** on the thermocycler (set the lid at 90°C):

Step	Temperature, °C	Time
Incubation	37	30 min
Incubation	80	20 min
Keep	4	pause

Procedure

2.3.1. Transfer 17 µL eluate from each tube from the step 2.2.13 into a new labelled 0.2 mL PCR tube. For **384WP** protocol split the eluate into two 0.2 mL tubes of ~17 µL each.

2.3.2. Prepare the EXO reaction mix as follows:

Reagent	Per reaction (µL)	For 2 reactions (µL)	For 4 reactions (µL)
EXB	2	4.4	8.8
EXO	1	2.2	4.4
TOTAL	3	6.6	13.2

2.3.3. Transfer 3 µL of EXO reaction mix into each PCR tube with purified cDNA.

2.3.4. Mix by pipetting up and down 5 times

2.3.5. Briefly spin down in the bench-top centrifuge

2.3.6. Incubate in thermocycler **Program 2_FPD**.

2.3.7. Proceed immediately to the step 2.4. or keep the tube at 4°C overnight.

Safe stop: After this step, the tube(s) can be kept at 4°C overnight.

2.4. Second strand synthesis

At this step, the double-stranded full-length cDNA is generated and purified using magnetic beads.

Preparation

- Pre-warm SPRI beads at room temperature for ~30 min.
- Prepare 5 mL of 80% ethanol.
- Thaw the **SSB** reagent at room temperature and mix well before use.
- Keep **SSE** reagent constantly on ice.
- Prepare the **Program 3_SSS** on the thermocycler (set the lid at 70°C):

Step	Temperature, °C	Time
Incubation	37	20 min
Incubation	65	30 min
Keep	4	pause

Second strand synthesis reaction setup

2.4.1. Prepare the SSS reaction mix for the second strand synthesis as follows:

Reagent	Per reaction (µL)	For 2 reactions (µL)	For 4 reactions (µL)
SSB	5	11.0	22.0
SSE	2	4.4	8.8
TOTAL	7	15.4	30.8

2.4.2. Transfer **7 µL** of SSS reaction mix to the tube from step **2.3.7** and mix well by pipetting up and down 5 times.

2.4.3. Incubate in thermocycler **Program 3_SSS**.

2.4.4. Proceed immediately to step **2.4.5**.

Full-length cDNA clean-up with SPRI beads

Perform the double-stranded cDNA purification with SPRI magnetic beads using a 0.6x ratio (i.e., 30 µL of bead slurry plus 50 µL of cDNA):

- For **96WP** protocol: adjust the cDNA volume in each tube to 50 µL with **NFW**.
- For **384WP** protocol: combine the cDNA from both tubes and adjust the volume to 50 µL with **NFW** if necessary.

NOTE: Use pre-warmed beads and vortex them vigorously before pipetting.

2.4.5. Complement the final volume to 50 µL with NFW.

2.4.6. Add 30 µL of beads and mix by pipetting up and down 10 times.

2.4.7. Incubate for 5 min at room temperature.

2.4.8. Place the tube on the magnetic stand, wait 5 min, and carefully remove and discard the supernatant.

2.4.9. To wash the beads, pipette 200 µL of freshly prepared 80% ethanol into the tube.

2.4.10. Incubate for 30 sec.

2.4.11. Carefully remove the ethanol without touching the beads pellet.

2.4.12. Repeat step **2.4.9** for the total of two washes.

2.4.13. Remove the tube from the magnetic stand and let the beads dry for 1-2 min.

2.4.14. Resuspend the beads in 21 µL of NFW.

2.4.15. Incubate for 1 min.

- 2.4.16. Place tubes on the magnetic stand, wait 5 min, and carefully remove 20 μ L of supernatant into a new tube to avoid bead carry-over.
- 2.4.17. Use 2 μ L to measure the concentration with Qubit.

Safe stop: At this step, the cDNA can be safely kept at -20°C for up to a few weeks.

2.5. Tagmentation

At this step, the full-length cDNA is tagmented using a Tn5 transposase pre-loaded with adapters for library amplification. When possible, it is recommended to use 20 ng of cDNA for tagmentation to obtain a higher library complexity with less PCR amplification.

Preparation

- Pre-warm SPRI beads at room temperature for ~30 min.
- If needed, prepare fresh 5 mL of 80% ethanol.
- Thaw the **TAB** reagent at room temperature and mix well before use.
- Keep the **TE** reagent constantly on ice.
- Set the PCR machine at 55°C incubation.

Procedure

- 2.5.1. Prepare the Tagmentation mix on ice in a PCR tube. If several cDNA samples are tagmented, prepare a Master mix as follows (with 10% excess):

Reagent	Per reaction (μL), for cDNA inputs			N +10% (μL)
	≤ 9 ng	10-14 ng	15-20 ng	
TAB	4.0	4.0	4.0	
TE	1.0	2.0	3.0	
cDNA	X μL	X μL	X μL	
NFW	15.0 – X	14.0 – X	13.0 – X	
TOTAL	20.0	20.0	20.0	

- 2.5.2. Keep the mix on ice and pipette up and down 10 times with the pipette set at 5 μL. Pay attention to thoroughly mixing the reaction volume.
- 2.5.3. Incubate for 7 min at 55°C in a PCR machine.
- 2.5.4. Immediately put the tube on ice and add 30 μL of water for the final volume of 50 μL.

Tagmented cDNA clean-up with SPRI beads

Purify the tagmented cDNA with SPRI magnetic beads using a 0.6x ratio.

NOTE: Use pre-warmed beads and vortex them vigorously before pipetting.

- 2.5.5. Add 30 μL of beads to 50 μL of tagmented cDNA and mix by pipetting up and down 10 times.
- 2.5.6. Incubate for 5 min at room temperature.
- 2.5.7. Place the tubes on the magnetic stand, wait 5 min, carefully remove and discard the supernatant.
- 2.5.8. To wash the beads, pipette 200 μL of freshly prepared 80% ethanol into the tube.
- 2.5.9. Incubate for 30 sec.
- 2.5.10. Carefully remove the ethanol without touching the beads pellet.
- 2.5.11. Repeat steps 2.5.8 - 2.5.10 for the total of two washes.
- 2.5.12. Remove tubes from the magnetic stand and let the beads dry for 1-2 minutes.
- 2.5.13. Resuspend the beads in 21 μL of NFW.
- 2.5.14. Incubate for 1 min.
- 2.5.15. Place tubes on the magnetic stand, wait 5 min and carefully remove 20 μL of supernatant into a new tube to avoid bead carry-over.

Safe stop: At this step, the cDNA libraries can be safely kept at -20°C for up to a few weeks

2.6. Library indexing and amplification

At this step, the 5' terminal fragments are amplified using Unique Dual Indexing (UDI) adapter primers. The kit contains 4 Illumina-compatible primer pairs to generate UDI libraries. The index sequences are indicated in [Appendix 2](#).

The number of amplification cycles required for library preparation is usually in the range of 12-17. The actual number may depend on the RNA samples and the input cDNA amount used for fragmentation. To determine the optimal number of cycles, follow the Library Quantification Protocol in [Appendix 3](#).

It is strongly recommended to perform the final library beads clean-up twice to remove the primer dimer fragments.

Preparation

- Pre-warm SPRI beads at room temperature for ~30 mins.
- Prepare 10 mL of 80% ethanol.
- Thaw the **LAM** reagent on ice and mix well before use.
- Thaw the required number of **MQ.UDI Adapters** at room temperature, briefly spin before use.
- Prepare the **Program 4_TN5AMP** (set the lid at 100°C) on the thermocycler (* The exact number of PCR cycles should be determined following [Appendix 3](#)):

Step	Temperature, °C	Time	Cycles
Initial denaturation	98	1 min	
Denaturation	98	10 sec	
Annealing	63	30 sec	15 or TBD*
Extension	72	1 min	
Final extension	72	3 min	
Keep	4	pause	

Library amplification reaction setup

2.6.1. Prepare the PCR amplification reaction as follows:

Reagent	Per reaction (µL)
LAM	25.0
MQ.UDI Adapter	5
Tagmented cDNA	20.0
TOTAL	50.0

2.6.2. Pipette up and down 5 times.

2.6.3. Put the tube in a PCR machine and start the **Program 4_TN5AMP** with the default 15 PCR cycles or follow [Appendix 3](#) to determine the optimal number of amplification cycles.

Indexed cDNA library clean-up with SPRI beads

Purify the final cDNA library with SPRI magnetic beads using a 0.7x ratio (35 µL of bead slurry for 50 µL cDNA library).

NOTE: Use pre-warmed beads and vortex them vigorously before pipetting.

2.6.4. Adjust the library volume to 50 µL with NFW.

2.6.5. Add 35 µL of beads and mix by pipetting up and down 10 times.

2.6.6. Incubate for 5 min at room temperature.

2.6.7. Place the tubes on the magnetic stand, wait 5 min, carefully remove, and discard the supernatant.

2.6.8. To wash the beads pipette 200 µL of freshly prepared 80% ethanol into the tube.

2.6.9. Incubate for 30 sec.

- 2.6.10. Carefully remove the ethanol without touching the beads pellet.
- 2.6.11. Repeat step 2.6.8 for the total of two washes.
- 2.6.12. Remove tubes from the magnetic stand and let the beads dry for 1-2 min.
- 2.6.13. Resuspend the beads in 21 μL of NFW.
- 2.6.14. Incubate for 1 min.
- 2.6.15. Place tubes on the magnetic stand, wait 5 minutes, and carefully remove 20 μL of supernatant into a new tube to avoid bead carry-over.
- 2.6.16. Perform the bead clean-up once again by repeating the procedure from step 2.6.4.

Safe stop: At this step, the cDNA libraries can be safely kept at -20°C for up to a few weeks.

2.7. Library quality control

Pooled library quality control

Before sequencing, the libraries should be subjected to fragment analysis (with Fragment analyzer, Bioanalyzer, or TapeStation) and quantification (with Qubit). This information is required to assess the molarity of the libraries and prepare the appropriate library dilution for sequencing. A successful library contains fragments in the range of 300 – 1000 bp with a peak at 400-700 bp; see Figure 2 for an example of a standard BRB-seq library profile.

Importantly, libraries with primer dimer peaks at 180 bp and ranging at 250 – 290 bp will likely produce lower quality sequencing data with a reduced proportion of mappable reads (Figure 3). Therefore, it is strongly recommended to remove those peaks by performing an additional round of SPRI beads purification with the 0.7x ratio (see step 2.6.4).

Undertagged libraries have a broader fragment range distribution with a peak at 1000-1200 bp (Figure 4). Only a fraction of such libraries contains fragments that can be efficiently sequenced; therefore, for the best results, it is recommended to re-tagment the cDNA.

Library quantification can also be done unbiasedly by qPCR using standard Illumina library quantification kits (i.e., KAPA HiFi, Roche).

Pre-sequencing library QC:

- Use 2 μL of the library to measure the concentration with Qubit.
- Use 2 μL of the library to assess the profile with the Fragment Analyzer instrument or similar.
- If necessary, re-purify the libraries by following steps 2.6.4 – 2.6.15 to remove the peaks <300 bp.

Figure 2 The successful library profile with fragments 300-1000 bp




Figure 3 The example of an over-tagmented library profile with a peak at 290 bp and an adapter peak at 160 bp





Figure 4 The example of an under-tagmented library profile with a major peak > 1000 bp



Assessing uniformity of reads distribution across the samples.

For projects involving highly heterogeneous RNA samples, it is recommended to validate the uniformity of reads coverage across the samples by shallow library sequencing (see step 2.2). This approach ensures that every sample will obtain enough reads required for the analysis. BRB-seq libraries can be added as spike-ins to the compatible sequencing run (see Part 3). For this validation 0.5-1M sequencing reads per library is sufficient to assess the fraction of reads attributed to every sample.

Part 3. LIBRARY SEQUENCING

The libraries prepared with MERCURIUS BRB-seq kit carry Illumina compatible adapter sequences and are ready to be processed on any Illumina instrument (i.e., HiSeq, NextSeq, MiSeq, iSeq, and NovaSeq).

The MERCURIUS BRB-seq libraries are Dual Indexed and potentially can be pooled in a sequencing run with other libraries if the sequencing structure is compatible (see Table 2).

Read	Length (cycles)	Comment
Read1	25-28	Default is 28. Sample barcode and UMI
i7 index	8	Library Index
i5 index	8*	Library Index (*optional and valid for UDI libraries)
Read2	60-90	Gene fragment

Table 2 Sequencing structure of BRB-seq libraries

NOTES: Sequencing depth

1. The recommended sequencing depth is 1-5 M reads per sample. Deeper sequencing can also be performed to enable the detection of very low expressed genes.
2. If only one library is sequenced in a flow cell, the Index reads can be skipped.
3. The loading molarity for the library depends on the sequencing instrument (see Table 3) and should be discussed with the sequencing facility or the experienced person.

Instrument	Final loading concentration	PhiX
MiSeq	20 pM	1 %
iSeq	100 pM	1 %
NextSeq	2.2 pM	1 %
NovaSeq XP	100 pM	1 %
HiSeq4000	270 pM	1 %

Table 3 Reference loading concentrations for various Illumina instruments

Part 4. SEQUENCING DATA PROCESSING

Following Illumina sequencing and standard library index demultiplexing, the user obtains raw read1 and read2 *fastq* sequencing files (e.g., *mylibrary_R1.fastq.gz* and *mylibrary_R2.fastq.gz*).

This section explains how to generate ready-for-analysis gene, and UMI read count matrices from raw *fastq* files.

4.1. OPTION 1: Cloud-based platform for data processing

The users of BRB-seq kits are offered free access to the devoted cloud-based BRB-seq data processing pipeline. This easy-to-use workflow enables the data processing to generate gene and UMI count matrices for the downstream RNA-seq analysis from the raw *fastq* files. The pipeline also produces a QC report and can be operated by a user without bioinformatics or coding skills.

The pipeline, still in the developer beta testing mode, is accessible via the following [link \(https://gcw-portal.ali.genomsys.com/\)](https://gcw-portal.ali.genomsys.com/). Please request credentials to access the pipeline by email at info@alitheagenomics.com

Currently, only the human, mouse, and fly genomes are supported.

4.2. OPTION 2: Manual data processing

To obtain the data read for analysis, the user needs to align the sequencing reads to the genome and perform the gene/UMI read count generation that can be done in parallel with the sample demultiplexing.

The user requires a terminal and a server or powerful computer with an installed set of standard bioinformatic tools for manual data processing.

4.2.1. Required software

- **fastQC** (version v0.11.7 or greater). Software for QC of *fastq* or *bam* files. This software is used to assess the quality of the sequencing reads, such as the number of duplicates, adapter contamination, repetitive sequence contamination, and GC content. The software is freely available from <https://www.bioinformatics.babraham.ac.uk/projects/fastqc/>. The website also contains informative examples of [good](#) and [poor](#) quality data.
- **STAR** (version 2.7.10a). Software for reads alignment on reference genome (Dobin et al., 2013). It can be downloaded from [Github](https://github.com/alexdobin/STAR) (<https://github.com/alexdobin/STAR>). STAR can only be run on UNIX systems and requires:
 - x86-64 compatible processors
 - 64-bit Linux or Mac OS X.
 - ~30-40Gb of RAM
- **FeatureCounts** (v.1.6.0 or greater). Software for counting genome-aligned reads for genomic features, such as genes and exons.
- **Picard** (v.2.17.8 or greater) and **Samtools** (v.1.9 or greater). Collections of command-line utilities to manipulate with BAM files. Note: Picard requires [Java version 8 or higher](#) to be installed.
- R Software (version 3 or greater).
- (Optional) **BRBseqTools** (version 1.6). The software suite for processing BRB-seq libraries is available from: <https://github.com/DeplanckeLab/BRB-seqTools>.

4.2.2. Merging *fastq* files from individual lanes and/or libraries (Optional)

4.2.2.1 Depending on the type of instrument used for sequencing, one or multiple R1/R2 *fastq* files per library may result from individual lanes of a flow cell. The *fastq* files from individual lanes should be merged into a single *R1.fastq* and a single *R2.fastq* files to simplify the following steps. This is an example of *fastq* files obtained from HiSeq 4 lane sequencing:

```
> mylibrary_L001_R1.fastq.gz, mylibrary_L002_R1.fastq.gz,
mylibrary_L003_R1.fastq.gz, mylibrary_L004_R1.fastq.gz
> mylibrary_L001_R2.fastq.gz, mylibrary_L002_R2.fastq.gz,
mylibrary_L003_R2.fastq.gz, mylibrary_L004_R2.fastq.gz
```

4.2.2.2 To merge the *fastq* files from different lanes use a `cat` command in a terminal. This will generate two files: *mylibrary_R1.fastq.gz* and *mylibrary_R2.fastq.gz*, containing the information of the entire library.

```
> cat mylibrary_L001_R1.fastq.gz mylibrary_L002_R1.fastq.gz
mylibrary_L003_R1.fastq.gz mylibrary_L004_R1.fastq.gz > mylibrary_R1.fastq.gz
> cat mylibrary_L001_R2.fastq.gz mylibrary_L002_R2.fastq.gz
mylibrary_L003_R2.fastq.gz mylibrary_L004_R2.fastq.gz > mylibrary_R2.fastq.gz
```

4.2.2.3 Move these 2 *fastq* files in a new folder, which will be referenced in this manual as `$fastqfolder`.

NOTE: This step can also be done if you sequenced your library in multiple sequencing runs.

Warning: The order of merging files should be kept the same (for e.g., L001, L002, L003, L004, not L002, L001 ...) to avoid issues when demultiplexing the samples.

4.2.3. Sequencing data quality check

4.2.3.1 Run fastQC on both R1 and R2 *fastq* files. Use `--outdir` option to indicate the path to the output directory. This directory will contain HTML reports produced by the software.

```
> fastqc --outdir $QCdir/ mylibrary_R1.fastq.gz
> fastqc --outdir $QCdir/ mylibrary_R2.fastq.gz
```

4.2.3.2 Check fastQC reports to assess the quality of the samples (see Software and materials).

NOTES:

- Report for R1 *fastq* file may contain some "red flags" because it contains barcodes/UMIs. Still, it can provide useful information on the sequencing quality of the barcodes/UMIs.
- The main point of this step is to check the R2 *fastq* report. Of note, *per base sequence content* and *kmer content* are rarely green. If there is some *adapter contamination* or *overrepresented sequence* detected in the data, it may not be an issue (if the effect is limited to <10~20%). These are lost reads but most of them will be filtered out during the next step.

4.2.4. Preparing the reference genome

The *fastq* files need to be aligned (or "mapped") on a reference genome. The [STAR](#) (Dobin et al., 2013¹) aligner is currently one of the most efficient tools for RNA-seq reads mapping. It contains a "soft-clipping" tool that automatically cuts the beginning or the end of the reads to improve the mapping efficiency, thus allowing the user to skip the step of trimming the reads for adapter contamination. Moreover, STAR has a mode called STARsolo, which is specifically designed for aligning multiplexed data (such as BRB-seq) and directly generating count matrices.

The STAR aligner required a genome assembly together with a genome index file. The index file generation is a time-consuming process that is only performed once on a given genome assembly, so it can be complete in advance and the index files can be stored on the server for subsequent analyses.

4.2.4.1 Download the right genome assembly fasta file (e.g. `Homo_sapiens.GRCh38.dna.primary_assembly.fa`) and gene annotation file in gtf format (e.g. `Homo_sapiens.GRCh38.102.gtf`) from Ensembl or UCSC repository. Below is an example for a human assembly:

¹ Alexander Dobin, Carrie A. Davis, Felix Schlesinger, Jorg Drenkow, Chris Zaleski, Sonali Jha, Philippe Batut, Mark Chaisson, Thomas R. Gingeras, STAR: ultrafast universal RNA-seq aligner, *Bioinformatics*, Volume 29, Issue 1, January 2013, Pages 15–21, <https://doi.org/10.1093/bioinformatics/bts635>

```
> wget ftp://ftp.ensembl.org/pub/release-102/fasta/homo_sapiens/dna/Homo_sapiens.GRCh38.dna.primary_assembly.fa.gz
> gzip -d Homo_sapiens.GRCh38.dna.primary_assembly.fa.gz # unzip
> wget ftp://ftp.ensembl.org/pub/release-102/gtf/homo_sapiens/Homo_sapiens.GRCh38.102.gtf.gz
> gzip -d Homo_sapiens.GRCh38.102.gtf.gz # unzip
```

NOTE: It's recommended to download the primary_assembly fasta file when possible (without the 'sm' or 'rm' tags). If not available, download the top_level assembly. For the *gtf*, download the one that does not have the 'chr' or 'abinitio' tags.

4.2.4.2 Use STAR to create an index for the genome assembly. Indicate the output folder name containing the index files using `--genomeDir` option:

```
> STAR --runMode genomeGenerate --genomeDir /path/to/genomeDir --genomeFastaFiles
Homo_sapiens.GRCh38.dna.primary_assembly.fa --sjdbGTFfile
Homo_sapiens.GRCh38.102.gtf --runThreadN 8
```

NOTES:

- The `--runThreadN` parameter can be modified depending on the number of cores available on your machine. The larger is this number, the more parallelized/fast will be the indexing.
- Depending on the genome assembly, STAR can use up to 32-40Gb of RAM. So, you should use a machine that has this RAM capacity.

4.2.5. Aligning to the reference genome and generation of count matrices

After the genome index is created, both R1 and R2 *fastq* files can be aligned to this reference genome. For this step, use the "solo" mode of STAR, which not only aligns the reads to the reference genome but also creates the gene read count and UMI (unique molecular identifier) count matrices.

The following parameters should be adjusted according to the sequencing information:

- `--soloCBwhitelist`: a text file with the list of barcodes (one barcode sequence per lane) which is used by STAR for demultiplexing. This file is provided according to version of the MERCURIUS kit used. Example of "[barcodes_96_V5A_star.txt](#)":

```
> TACGTTATTCCGAA
> AACAGGATAACTCC
> ACTCAGGCACCTCC
> ACGAGCAGATGCAG
```

- `--soloCBstart`: Start position of the barcode in the R1 *fastq* file, equal to 1.
- `--soloCBlen`: Length of the barcode. This value should match the length of the barcode sequence in the file specified by `--soloCBwhitelist`. The length of the barcode depends on the version of the kit, see the table below.
- `--soloUMIstart`: Start position of the UMI, it's `soloCBlen + 1` since the UMI starts right after the barcode sequence.
- `--soloUMIlen`: The length of UMI. This parameter depends on the version of the kit (see the table below) and number of sequencing cycles performed for the Read1.
- `--readFilesIn`: name and path to the input *fastq* files.

The order of the *fastq* files provided in the script is important. The first *fastq* must contain genomic information, while the second the barcode and UMI content. Thus, files should be provided for STARsolo in the following order: `--readFilesIn mylibrary_R2 mylibrary_R1`.

- `--genomeDir`: a path to the genome indices directory generated before (`$genomeDir`).

Output count matrix parameters:

By default, STARsolo produces UMI count matrix, i.e., containing unique non-duplicated reads per sample for each gene. This type of count data is a standard for single cell RNA-seq analysis. For bulk RNA-seq analysis a gene read count matrix is usually used. Following parameters will enable to generate the output of interest.

`--soloUMIdedup NoDedup`, will generate a read count matrix output

`--soloUMI dedup NoDedup 1MM_All` , will generate both UMI and read count matrices in `mtx` format.

This step will output `bam` files and count matrices in the folder `$bamdir`.

```
> STAR --runMode alignReads --outSAMmapqUnique 60 --runThreadN 8 --outSAMunmapped
Within --soloStrand Forward --quantMode GeneCounts --outBAMsortingThreadN 8 --
genomeDir $genomeDir --soloType CB_UMI_Simple --soloCBstart 1 --soloCBlen 12 --
soloUMIstart 13 --soloUMIlen 16 --soloUMI dedup NoDedup 1MM_All --soloCellFilter
None --soloCBwhitelist barcodes.txt --soloBarcodeReadLength 0 --soloFeatures
Gene --outSAMattributes NH HI nM AS CR UR CB UB GX GN sS sQ sM --
outFilterMultimapNmax 1 --readFilesCommand zcat --outSAMtype BAM
SortedByCoordinate --outFileNamePrefix $bamdir --readFilesIn
mylibrary_R2.fastq.gz mylibrary_R1.fastq.gz
```

The demultiplexing statistics can be found in the “`bamdir/Solo.out/Barcodes.stats`” file.

The alignment quality and performance metrics can be found in the “`bamdir/Log.final.out`” file.

NOTE: The most important statistic at this step is the proportion of “Uniquely mapped reads” which is expected to be greater than 70% (for human, mouse or drosophila).

4.2.6. Generating the count matrix from .mtx file

STARsolo will generate a count matrix (`matrix.mtx` file) located in the `bamdir/Solo.out/Gene/raw` folder. This file is a sparse matrix format that can be transformed into standard count matrix using an R script provided below:

```
> #Myscript.R
> library(data.table)
> library(Matrix)
> matrix_dir <- "$bamdir/Solo.out/Gene/raw"
> f <- file(paste0(matrix_dir, "matrix.mtx"), "r")
> mat <- as.data.frame(as.matrix(readMM(f)))
> close(f)
> feature.names = fread(paste0(matrix_dir, "features.tsv"), header = FALSE,
stringsAsFactors = FALSE, data.table = F)
> barcode.names = fread(paste0(matrix_dir, "barcodes.tsv"), header = FALSE,
stringsAsFactors = FALSE, data.table = F)
> colnames(mat) <- barcode.names$V1
> rownames(mat) <- feature.names$V1
> fwrite(mat, file = umi.counts.txt, sep = "\t", quote = F, row.names = T,
col.names = T)
```

The resulting UMI/gene count matrix can be used for a standard expression analysis following conventional bioinformatic tools.

4.2.7. Demultiplexing bam files (Optional)

Generation of demultiplexed bam files, i.e. individual bam file for each sample, might be needed in some cases, for example, for submitting the raw data to an online repository which does not accept multiplexed data (for example, GEO or ArrayExpress), or for running an established bulk RNA-seq data analysis pipeline.

For this purpose, the Picard tool can be used with the following parameters:

- `$out_dir`, The output dir for demultiplexed bam files
- `$path_to_bam`, the path to multiplexed single bam file
- `$barcode_brb.txt`, tab-delimited file containing 2 columns: `sample_id` and `barcode seq`. Example of `barcode_96_V5A_brb.txt`:

```
> Sample1 TACGTTATTCCGAA
> Sample2 AACAGGATAACTCC
> Sample3 ACTCAGGCACCTCC
> Sample4 ACGAGCAGATGCAG
```

NOTE: this file is different from the list of barcodes file provided to STAR.

Run the Picard scrip as following

```
> #!/bin/bash
> demultiplexed_bam_out_dir=$out_dir
> input_bam=$path_to_bam
> barcode_info=$barcode_brb.txt
>
> while IFS=$'\t' read -r -a line
> do
>   sample_id="${line[0]}"
>   tag_value="${line[1]}"
>
>   java -jar /path/to/picard.jar FilterSamReads \
>     I=${input_bam} \
>     O=${demultiplexed_bam_out_dir}/${sample_id}.bam \
>     TAG=CR TAG_VALUE=${tag_value} \
>     FILTER=includeTagValues
> done < "$barcode_info"
```

NOTE: Please contact us at info@alitheagenomics.com in case you don't have the barcode sequences (in your email, please indicate the name of the barcode set and the PN of the barcode module)

4.2.8. Generating the read count matrix with per-sample stats (Optional)

After splitting (demultiplexing) the *bam* file into files for each sample, produce a read counting matrix with per-sample statistics using the *featureCounts* tool with the following code:

```
> #!/bin/bash
>
> gtf=homo_sapience.gtf          ### GTF genome annotation file
> output_name=read_counts.txt    ### Name of the final count output
> file
> bam_dir=myspath/bam_demult     ### Directory with demultiplexed bam files
>
> featureCounts [options] -t exon -g gene_id -s 1 -a $gtf -o $output_name
> ${bam_dir}/*.bam
```

The resulting read count matrices can be used for subsequent analysis of gene expression using established pipelines and tools.

Appendix 1. Assessing the kit performance with in-line Control Human RNA

Introduction

Control Human RNA (Ctrl hRNA) is provided in the BRB-seq kits as a positive control to assess the kit performance during the library preparation. The tube provided in the kit contains 10 μL of 0.5 $\mu\text{g}/\mu\text{L}$ (5 μg) of human total RNA from HEK293T cells. It can be used at various amounts per well for RT reaction (e.g., at 50 ng/well for 96 wells or 1 μg /well for 5 wells). The section below describes the best practices and the expected results from using 0.5-5 μg of RNA per well and following the detailed protocol in [Part 2](#) of this User Guide.

Expected results during library preparation

The RT was performed using the reagents from a BRB-seq kit (PN 10811) in 20 μL per well using 0.5-5 μg of total RNA. Each sample was either directly purified using DNA Clean and concentrator kit (Zymo, D4014), or wells were pooled (RT from 5 wells with 1 μg of RNA each) before column purification. After elution, each sample was treated with Exo and subjected to the second strand synthesis. Then samples were purified using AMPure beads (0.6x ratio, Beckman Coulter CNGS-0050) and eluted in 20 μL with water. cDNA was quantified using Qubit and profiled with a Fragment Analyzer (Agilent, model 5200). [Figure 5A](#) shows the estimation of cDNA yield, and [Figure 5B](#) demonstrates the expected cDNA profile.




Figure 5 A. Expected cDNA yield from total human RNA used in a single RT reaction (0.5-5 μg /reaction) or 5 RT reactions with 1 μg /well (n= 4). **B.** Expected cDNA profile.


Various amounts (5-20 ng) of cDNA prepared from control RNA were used for the library preparation following the tagmentation, purification with AMPure beads (0.6x), PCR amplification, and two rounds of purification with AMPure beads (0.6x). The amount of cDNA for tagmentation can vary, and we recommend keeping some cDNA for a backup. Typically, 10 ng of cDNA is sufficient to obtain 20-40 ng of DNA library after 13-14 cycles of amplification. [Table 4](#) shows the approximate amount of amplification cycles and expected library yield and the [Figure 6](#) shows the fragment size distribution.

Tagmented cDNA, ng	# PCR cycles	Expected Library yield, ng
5	14-15	20-40
10	13-14	
20	11-12	

Table 4 Expected yield of BRB-seq libraries from different amount of tagmented cDNA.

The final yield of the library and the profile may vary depending on RNA quality and species of origin as well as pipetting manipulations during purification steps.

Figure 6 BRB-seq library profiles prepared by tagmentation of 5 (black), 10 (blue) or 20 (red) ng of cDNA.



Appendix 2. Unique Dual Indexing adapter sequences

Name	Type	i7 index sequence	i5 index sequence Workflow A	i5 index sequence Workflow B
MQ.UDI.1	UDI (i7/i5)	TAAGGCGA	AGGCTATA	TATAGCCT
MQ.UDI.2	UDI (i7/i5)	CGTACTAG	GCCTCTAT	ATAGAGGC
MQ.UDI.3	UDI (i7/i5)	AGGCAGAA	AGGATAGG	CCTATCCT
MQ.UDI.4	UDI (i7/i5)	GCGTTGGA	AAGTCCAA	TTGGACTT

Table 5 UDI adapter sequences

Workflow A: NovaSeq 6000, MiSeq, HiSeq 2500, or HiSeq 2000

Workflow B: iSeq 100, MiniSeq, NextSeq, HiSeq X, HiSeq 4000, or HiSeq 3000

Appendix 3. Library quantification with qPCR

To determine the optimal number of cycles, the following library quantification procedure using real-time PCR is recommended at step 2.6.3.

- After purification of the tagmented library set up the PCR amplification reaction and perform 5 cycles of library preamplification (Program 4_TN5AMP).
- Put the tube on ice.
- Use 5 μ L aliquot from the PCR reaction to prepare a qPCR reaction mix in the appropriate PCR tube or plate as follows:

Reagent	Per reaction, μ L	N +10%, μ L
5 cycles pre-amplified library	5.0	
SYBR 100X*	0.1	
LAM	2.5	
NFW	2.4	
TOTAL	10.0	


* Prepare 100X dilution with NFW from 10'000X stock

- Put it in the qPCR machine and run with the following program:

Step	Temperature	Time	Cycles
Initial denaturation	98°C	1 min	
Denaturation	98°C	10 sec	25
Annealing	63°C	30 sec	
Extension + acquisition	72°C	1 min	

- Determine the cycle number depending on the growth curve in the multicomponent plot as in Figure 7.
- Perform PCR with a determined additional number of cycles with the tube containing the remaining 45 μ L of the pre-amplified library.

Figure 7 Determination of the additional number of amplification cycles with qPCR.



Contact information

Alithea Genomics SA

Route de la Corniche 5

1066 Épalinges

Switzerland

Tel: +41 78 830 31 39

www.alitheagenomics.cominfo@alitheagenomics.com